

Infant Milks in the UK. February 2019.

Those sections marked in red have changed since the previous (July 2018) edition.

Glossary

1 Introduction

- 1.1 What does this report contain?
- 1.2 Format of the report
- 1.3 **Working with the Unicef UK Baby Friendly Initiative**

2 A simple guide to choosing milks for infants and toddlers

- 2.1 Frequently asked questions

3 The composition of infant milks

- 3.1 What are the main differences between breastmilk and infant milks?
- 3.2 What ingredients are used to make infant milks?
- 3.3 How are infant milks made?
- 3.4 Results of surveys of the nutritional composition of infant milk
- 3.5 Foods for special medical purposes
- 3.6 Energy content of infant milks
- 3.7 Protein content of infant milks
 - 3.7.1 ***α-lactalbumin***
 - 3.7.2 ***Nucleotides in infant milks***
- 3.8 Fat content of infant milks
 - 3.8.1 ***Long chain polyunsaturated fatty acids (LCPUFA) in infant milks***
 - 3.8.2 *Structured triglycerides in infant milks*
 - 3.8.3 *Phospholipids*
 - 3.8.4 *Anhydrous milk fat*
- 3.9 Carbohydrate content of infant milks
 - 3.9.1 ***Prebiotics in infant milks***
 - 3.9.2 *Human milk oligosaccharides*
- 3.10 Vitamins and minerals in infant milks
 - 3.10.1 *Calcium in infant milks*
 - 3.10.2 *Iron in infant milks*
 - 3.10.3 *Vitamin D in infant milks*
- 3.11 Other ingredients in infant milks
 - 3.11.1 *Choline*
 - 3.11.2 *Inositol*
 - 3.11.3 *L-carnitine*
 - 3.11.4 *Lutein and zeaxanthin*
 - 3.11.5 *Taurine*
- 3.12 **Probiotics, synbiotics and postbiotics in infant milks**
 - 3.12.1 ***Acidified Infant Milk and Postbiotics***

- 3.13 Non-essential trace elements: fluoride content of infant milks
- 3.14 Additives in infant milks

4 Contaminants in infant milks

- 4.1 Bacterial contamination of powdered infant milks
- 4.2 Aluminium contamination of infant milks
- 4.3 Uranium contamination of infant milks
- 4.4 Cadmium contamination of infant milks
- 4.5 Process contaminants from oil refining in infant milks

5 Infant milks available in the UK

- 5.1 Macro and micronutrient requirements of the Infant Formula and Follow-on Formula Regulations, and Foods for Special Medical Purposes regulations
- 5.2 Infant milks currently available in the UK
- 5.3 Milks suitable for specific population groups
 - 5.3.1 *Infant milks for vegetarians*
 - 5.3.2 *Infant milks for vegans*
 - 5.3.3 *Halal and kosher milks*
- 5.4 *Infant formula suitable from birth (cows' milk based)*
- 5.5 Infant milk suitable from birth (goats' milk based)
- 5.6 *Infant formula marketed for hungrier babies, suitable from birth (cows' milk based)*
- 5.7 Thickened (anti-reflux) infant milks suitable from birth
- 5.8 Soya protein based infant formula suitable from birth
- 5.9 *Lactose-free infant milks suitable from birth*
- 5.10 *Partially hydrolysed infant milks suitable from birth*
 - 5.10.1 *Partially hydrolysed whey-based milks marketed as comfort milks*
 - 5.10.2 *Partially hydrolysed infant milk marketed as preventing cows' milk protein allergy*
- 5.11 *Follow-on formula marketed for infants from 6 months of age*
- 5.12 Good night milk
- 5.13 *Milks for which there are no compositional regulations: milks marketed for young children*
- 5.14 Milks for which there are no compositional regulations: soya protein based milks marketed for young children
- 5.15 PaediaSure Shake
- 5.16 Other milks unsuitable for infants and toddlers

6 How much milk is needed and how to make it up safely

- 6.1 Birth to 6 months
- 6.2 *Older infants*
- 6.3 Ready-to-feed milks
- 6.4 Powdered milks
- 6.5 Water used to make up powdered milk
- 6.6 How to make up infant milks safely
 - 6.6.1 *Making milk up safely when away from home, using water kept warm in a vacuum flask*
- 6.7 Formula preparation machines

7 For more information

Useful organisations

[Infant formula companies](#)

Appendix 1 Background

A brief history of infant milks

Development of the regulation of infant milk composition

The International Code of Marketing of Breast-milk Substitutes

Infant feeding patterns in the UK

[The infant milk market in the UK](#)

The international infant milk market

European legislation on infant formula and follow-on formula

Marketing of infant and follow-on formula

Appendix 2 Monitoring the composition and safety of infant milks

European safety reviews of infant milk manufacturers

Lapses in production and labelling of infant milks

References

Index

Table 1	A simple guide to choosing milks for infants and toddlers up to 2 years of age	2
Table 2	Iron content of major-brand first infant formulas suitable from birth and follow-on formulas marketed from 6 months of age, compared to the 'target' nutrient values proposed by EFSA (2014)	3.10
Table 3	Examples of additives permitted in infant formula, follow-on formula and foods for special medical purposes for infants and children	3.14
Table 4	Macro and micronutrient requirements for infant formula and follow-on formula	5.1
Table 5	Macro and micronutrient composition of the three main first infant milks sold in the UK and mature breastmilk, compared to regulations for infant formula	5.1
Table 6	Macro and micronutrient requirements for infant formula, follow-on formula and foods for special medical purposes	5.1
Table 7	Infant milks available in the UK	5.2
Table 8	Infant milks suitable for vegetarians and vegans, and for those wanting halal products	5.3
Table 9	The nutritional composition of powdered infant formula suitable from birth (cows' milk based)	5.4
Table 9a	The nutritional composition of powdered infant formula suitable from birth (cows' milk based) available from manufacturer online only	5.4
Table 10	The nutritional composition of ready-to-feed infant formula suitable from birth (cows' milk based)	5.4
Table 11	The nutritional composition of infant formula suitable from birth (goats' milk based)	5.5
Table 12	The nutritional composition of infant formula marketed for hungrier babies, suitable from birth (cows' milk based)	5.6
Table 13	The nutritional composition of thickened (anti-reflux) infant milks suitable from birth	5.7
Table 14	The nutritional composition of soya protein based infant formula suitable from birth	5.8
Table 15	The nutritional composition of lactose-free infant milks suitable from birth	5.9
Table 16	The nutritional composition of partially hydrolysed infant milks suitable from birth	5.10
Table 17	Summary of some of the differences in selected nutrients between major-brand first infant formulas suitable from birth and follow-on formulas suitable from 6 months of age	5.11
Table 18	The nutritional composition of follow-on formula marketed for infants	5.11

from 6 months of age

Table 18a	The nutritional composition of follow-on formula marketed for infants from 6 months of age available from manufacturer online only	5.11
Table 19	The nutritional composition of follow-on formula marketed for infants from 6 months of age (goats' milk based)	5.11
Table 20	The nutritional composition of good night milk	5.12
Table 21	Micronutrient composition of main milks marketed for young children, compared to whole cows' milk	5.13
Table 22	The nutritional composition of growing-up milks and toddler milks suitable from around 1 year of age (powder formulation), compared with full-fat cows' milk.	5.13
Table 22a	The nutritional composition of growing-up milks and toddler milks suitable from around 1 year of age (powder formulation), available from manufacturer online only compared with full-fat cows' milk.	5.13
Table 23	The nutritional composition of goats' milk based growing-up milks suitable from around 1 year of age (powder formulation only)	5.13
Table 24	The nutritional composition of growing-up milks and toddler milks suitable from around 2 years of age (powder formulation), compared with semi-skimmed cows' milk	5.13
Table 25	The nutritional composition of a soya protein based growing-up milk suitable from around 1 year of age, compared with standard unsweetened soya milk	5.14
Table 26	The nutritional composition of PaediaSure Shake compared with full-fat cows' milk	5.15
Table 27	Estimated amounts of infant formula required, using energy requirements from the SACN report <i>Dietary Reference Values for Energy</i> (2011)	6.1
Table 28	Feeding guides suggested for the three main brands of first infant formula	6.1
Table 29	Guidelines on the safe preparation and storage of powdered infant formula milks	6.6
Table 30	Temperature of boiling water stored in a 1000ml and 500ml vacuum flask	6.6
